

Declaration of performance

according to Regulation 305/2011/EU



1. VITOLEN 111-G TWB B1
2. Item-Nr. 052 xxx xxx xxx xx xx
3. The product is used to absorb acoustic sound within partition wall constructions.
4. VITO Irmen GmbH & Co. KG
Mittelstraße 74 – 80
53424 Remagen
5. Mr Dipl.-Ing. (FH) Henning Rudolph
phone: +49 2642 4007 806
e-mail: Henning.Rudolph@vito-irmen.de
VITO Irmen GmbH & Co. KG
Mittelstraße 74 – 80
53424 Remagen
6. not applicable
7. not applicable
8. not applicable
9. The manufacturer VITO Irmen GmbH & Co. KG hereby declares that the product VITOLEN 111-G TWB B1 complies with the regulations of DIN 4102-B1 (Building Material Class B1) and DIN 52210 (Acoustic Insulation) and therefore fulfils the conditions for CE marking. The following survey reports validate the conformability.

Materialprüfungsamt Nordrhein-Westfalen, Auf den Thränen 2, 59597 Erwitte

- The General Building Inspectorate Approval is valid for manufacturing and use of this foam sealing tape as a low flammability construction material of Building Material Class B1 as per DIN 4102.
- The construction material does not tend to form flaming droplets.
- Certification report number P-MPA-E-01-635 dated 18th November, 2011.

Fraunhofer-Institut für Bauphysik, Nobelstr. 12, 70504 Stuttgart

- Approval as foam sealing material for acoustic insulation as per DIN 52210.
- Certification report number S-8087 dated 16th January, 1995.


The manufacturer's production control system has been certified by the notified organisation

TÜV Saarland, Am TÜV 1, 66280 Sulzbach


The manufacturer's production quality control system was certified in compliance with ISO 9001:2008 by Certificate No. DE 12/81830292, issued on 26th May, 2012.

Remagen, 11th June, 2013

VITO Irmen GmbH & Co. KG



Ralf Heiligtag
Managing Director



Mario Kleefisch
Head of Laboratory and Development